

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/767,675	01/29/2004	Tom McHale	S63.2-10813US01	5432
7590 08/19/2011 VIDAS, ARRETT & STEINKRAUS, P.A. SUITE 400, 6640 SHADY OAK ROAD			EXAMINER	
			SEVERSON, RYAN J	
EDEN PRAIR	IE, MN 55344		ART UNIT	PAPER NUMBER
			3731	
			MAIL DATE	DELIVERY MODE
			05/19/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of Allowability

Application No.	Applicant(s)	
10/767,675	MCHALE ET AL.	
Examiner	Art Unit	
BYAN SEVERSON	3731	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included
herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative
of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.
1 M This communication is responsive to the intension of 4/20/2011

- communication is responsive to the
- The allowed claim(s) is/are 1-26 and 58-60.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) \square All b) Some* c) None of the:
 - 1. T Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No.
 - 3.
 ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO/SB/08),
- Paper No./Mail Date 4. T Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413). Paper No./Mail Date
- 7. X Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance

/Ryan J Severson/

Primary Examiner, Art Unit 3731

9.

☐ Other

Application/Control Number: 10/767,675 Page 2

Art Unit: 3731

DETAILED ACTION

1. Examiner notes here that this Notice of Allowability is a supplemental action in response to the interview conducted 4/20/2011. It was brought to the Examiner's attention that the objection to the oath/declaration in the Notice of Allowability mailed 3/31/2011 was made in error. That objection has been withdrawn. Examiner notes all other items from the previous Notice of Allowability are incorporated below. Examiner applogizes for any inconvenience in this matter.

Examiner's Amendment

- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- Authorization for this examiner's amendment was given in a telephone interview with Jeremy Laabs on 3/17/2011.
- The application has been amended as follows:

In claim 1, line 19: - - said catheter tip and said catheter shaft defining discrete structures, - - has been added after "central shaft portion," and before "said catheter tip".

In claim 16, line 11: - - said catheter tip and said catheter shaft defining discrete structures, - - has been added after "second region;" and before "said catheter tip".

Application/Control Number: 10/767,675 Page 3

Art Unit: 3731

Allowable Subject Matter

Claims 1-26 and 58-60 are allowed.

6. The following is an examiner's statement of reasons for allowance:

7. Regarding claim 1, the prior art does not disclose or suggest, either alone or in combination, the catheter comprising a catheter shaft, balloon, and catheter tip having the claimed structures (such as the recesses in the tip) where the catheter tip and catheter shaft define discrete structures and the tip proximal end is attached to the shaft

distal end.

1. Regarding claim 16, the prior art does not disclose or suggested, either alone or in combination, the catheter comprising a catheter shaft, balloon, and catheter tip having the claimed structures (such as the recess and the stiffening fibers in the tip) where the catheter tip and catheter shaft define discrete structures and the tip proximal end is attached to the shaft distal end. This coupling location is located proximal to the inflation balloon.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/767,675 Page 4

Art Unit: 3731

Conclusion

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to RYAN SEVERSON whose telephone number is (571)272-3142. The examiner can normally be reached on Monday - Friday 8:30-5:00.

3. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Anhtuan Nguyen can be reached on (571) 272-4963. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

4. Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ryan J Severson/ Primary Examiner, Art Unit 3731 5/12/11